

**i** Touch [OK] to fix setting  
 Touch [Cancel] to cancel setting

Orig. Count	0	Memory	100.0
Reserve Job	0	File Amount	100.00

Please set expert adjustment

Tray3	Expert Adjustment
2nd Transfer Output Adj.(Front)	+000
2nd Transfer Output Adj.(Back)	+000
2nd Transfer-Lead Edge(Front)	+000
2nd Transfer-Lead Edge(Back)	+000
2nd Transfer-Rear Edge(Front)	+000
2nd Transfer-Rear Edge(Back)	+000
Separation AC(Front)	+000
Separation AC(Back)	+000
Separation DC(Front)	+000
Separation DC(Back)	+000

Adjustment Range  
-50~+50

1	2	3
4	5	6
7	8	9
+/-	0	▼ ▲

Reset



MACHINE




JOB LIST



RECALL



STORE



COPY



SCAN



Touch [OK] to fix setting  
Touch [Cancel] to cancel setting

Orig. Count	0	Memory
Reserve Job	0	File Am

Paper Setting

Change IndividualSet

Expert Adjustment

Please set expert adjustment

Tray3

Expert Adjustment

Upper Fusing Roller Temperature

+000

Lead Edge Erase Quantity

+040

Temp. Gap of Fus. Edge and Mid.

+000

Lower Fusing Roller Temperature

+000

Rear Edge Erase Quantity

+040

Back on Top Output Timing Adj.

+000

ADU Reverse Timing

+000

Fusing Speed(Front Side)

+000

Fusing Speed(Back Side Offset)

+000

Registration Loop(Front)

+000

Adjustment Range  
-20~+20

1	2	3
4	5	6
7	8	9
+/-	0	▼ ▲

Reset

Cancel

OK

**i** Touch [OK] to fix setting  
 Touch [Cancel] to cancel setting

Orig. Count    0    Memory  
 Reserve Job    0    File A

Paper Setting    Change IndividualSet    Expert Adjustment

Please set expert adjustment

Tray3    Expert Adjustment

Up Fusing Initial Temp.	Auto	OFF		
2ndTrans. Pressure	Auto	Normal	Low	
CPM Down	Normal	Down		
Toner Amount Save	ON	OFF		
Dens. Adj. Per Tray(YMC)	0(Normal)	+1	+2	+3(Max)
Dens. Adj. Per Tray(K)	0(Normal)	+1	+2	+3(Max)
Mis-centering Detect JAM	Detect	Not Detect		
Double Feed Detection	Detect	Not Detect		



Touch [OK] to fix setting  
 Touch [Cancel] to cancel setting

Orig. Count	0	Memory
Reserve Job	0	File Amount

per Setting ▶ Change IndividualSet ▶ Expert Adjustment

Please set expert adjustment

Tray3

Expert Adjustment

Int. Transfer Separation

Auto

ON

OFF

\*Reduce paper wrapping to intermediate transfer

Thick BK Mode

ON

OFF

Feed Correction Level

0(Normal)

-1

-2

\*In case of the damage at the lead edge of paper, set level [-1]  
 If it is not enough, please set level [-2]  
 Setting low level may effect the ability of correcting paper skew

Output Curl Adjustment

Auto

0

+1

+2

Output Curl(Back on Top)

Auto

0

+1

+2

Centering Adj.(Front)

ON

OFF

Detect Position

05

Centering Adj.(Back)

ON

OFF

Detect Position

05

Cancel

OK

**i** Touch [OK] to fix setting  
Touch [Cancel] to cancel setting

Orig. Count	0	Memor
Reserve Job	0	File

Paper Setting ▶ Change IndividualSet ▶ Expert Adjustment

Please set expert adjustment

Tray3

Expert Adjustment

Registration Loop(Back)

+000

Adjustment Range  
-99~+99

	1	2	3
	4	5	6
	7	8	9
+/-	0	▼	▲

Res



Touch [OK] to fix setting  
 Touch [Cancel] to cancel setting

Orig. Count	0	Memory
Reserve Job	0	File Amount

per Setting ▶ Change IndividualSet ▶ Expert Adjustment

Please set expert adjustment

Tray3

Expert Adjustment

Fusing Air Separation Air Level Setting

Weak      Auto      Strong

Change Fusing Pressure

Auto      Normal      Weak

Hard Paper Mode

ON      OFF

Cancel

OK

**i** Touch [OK] to fix setting  
Touch [Cancel] to cancel setting

Orig. Count	0	Memory	1
Reserve Job	0	File Amount	1

Paper Setting ▶ Change IndividualSet ▶ Expert Adjustment

Please set expert adjustment

Tray3 Expert Adjustment

Output Paper Separation Setting

Output Cooling Air Level Adj.

0 1 2 3 4 5 6 7 8